


## JV081016

**Cast Iron (Epoxy Coated) Body  
EPDM Seat  
Dual Plate  
Spring-Loaded  
Check (Non-Return) Valve  
Length A  
Multi-Flange Wafer Type  
PN10/16 & ANSI 150**



The JV081016 is an epoxy coated cast iron, spring loaded dual plate check valve with stainless steel flaps and EPDM seats suitable for water applications.

### Features, Benefits & Approvals

- Compact & lightweight
- Spring loaded plates
- Suitable for potable water applications

### Pressure & Temperature

Maximum pressure:-  
PN16 rated

Temperature range:-  
-20°C to 110°C

DN	50	65	80	100	125	150	200	250	300
<b>A</b>	12	14	21.6	21	24.4	25.7	31	36	40.1
<b>B</b>	40	58	70	88	115	134	182	220	260
<b>C</b>	43	46	64	64	70	76	89	114	114
<b>D</b>	101	121	129	156	187	213	267	327	375
<b>Weight Kg</b>	1.5	2.0	3.0	4.5	7.0	9.0	14.0	23.0	35.0

### MATERIALS

<b>Body</b>	Cast Iron (Epoxy Coated)
<b>Flaps</b>	Stainless Steel (316)
<b>Seat</b>	EPDM
<b>Hinge</b>	Stainless Steel (410)
<b>Spring</b>	Stainless Steel